





Location	Sample Pt	Sample Number	Test Data Received	Publishing Date	Sample Date	Analysis Results			
Site Map	<a href="http://www.tumut.nsw.gov.au/wp-content/uploads/Talbingo-WTP-Map.pdf">http://www.tumut.nsw.gov.au/wp-content/uploads/Talbingo-WTP-Map.pdf</a>								
Licence Link	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=79291&amp;SYSUID=1&amp;LICID=11195">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=79291&amp;SYSUID=1&amp;LICID=11195</a>								
Licence Number: 11195						BOD	pH	Susp.Solids	Tot Oil & Grease
Talbingo WTP Lagoon Effluent						BOD Result	pH	Susp_solids	Oil & grease
						mg/L	pH units	mg/L	mg/L
<b>Licence Limit -100 percentile</b>						<b>20</b>	<b>6.5 - 8.5</b>	<b>30</b>	<b>10</b>
Talbingo Water Plant Effl	TALWTP-PT1	CA1703197-001	21/06/2017	22/06/2017	7/06/2017	<2	7.42	4	<1
Talbingo Water Plant Eff	TALWTP-PT1	CA1705222-002	5/10/2017	6/10/2017	21/09/2017	<2	7.36	6	<1
Talbingo Water Plant Effl	TALWTP-PT1	CA1706963-002	21/12/2017	2/01/2018	13/12/2017	<2	7.49	3	<1
Talbingo Water Plant Effl	TALWTP-PT1								

Location	Sample Pt	Sample Number	Test Data Received	Publishing Date	Sample Date	Analysis Results			
Site Map	<a href="http://www.tumut.nsw.gov.au/wp-content/uploads/Tumut-WTP-Map.pdf">http://www.tumut.nsw.gov.au/wp-content/uploads/Tumut-WTP-Map.pdf</a>								
Licence Link	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=79289&amp;SYSUID=1&amp;LICID=2503">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=79289&amp;SYSUID=1&amp;LICID=2503</a>								
Licence Number: 2503						BOD	pH	Susp.Solids	Tot Oil & Grease
Tumut WTP Lagoon Effluent						BOD Result	pH	Susp_solids	Oil & grease
						mg/L	pH units	mg/L	mg/L
<b>Licence Limit -100 percentile</b>							<b>6.5 - 8.5</b>	<b>30</b>	
Tumut Water Plant Effluen	TUMWTP-EPAP1	CA1703162-001	14/06/2017	22/06/2017	6/06/2017	<2	7.43	2	<1
Tumut Water Plant Effluen	TUMWTP-EPAP1	CA1704885-001	18/09/2017	25/07/2017	6/09/2017	<2	7.42	2	<1
Tumut Water Plant Effluen	TUMWTP-EPAP1	CA1706963-001	21/12/2017	2/01/2018	13/12/2017	<2	7.61	6	<1
Tumut Water Plant Effluen	TUMWTP-EPAP1								

Anniversary Date: 15 September

Location	Sample Pt	Sample Number	Test Data Received	Publishing Date	Sample Date	Analysis Results							
Site Map													
Licence Link	<a href="http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106689&amp;SYSUID=1&amp;LICID=448">http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=106689&amp;SYSUID=1&amp;LICID=448</a>												
Licence Number: 448						Ammonia (asN)	Total Nitrogen	Tot.Phosp (asP)	BOD	pH	Susp.Solids	Tot Oil & Grease	Faecal Coliform Env.
Tumbarumba STP Effluent Samples						Ammonia	Total N	Total P	BOD Result	pH	Susp_solids	Oil & grease	Conf Count
						mg/L N	mg/L N	mg/L P	mg/L	pH units	mg/L	mg/L	CFU/100mL
<b>Licence Limit -100 percentile</b>						<b>5</b>	<b>20</b>	<b>0.6</b>	<b>20</b>	<b>6.5 - 8.5</b>	<b>30</b>	<b>5</b>	<b>1000</b>
Tumbarumba STP Effluent	EPA-P1	1612-0100	13/01/017	28/03/017	20/12/016		3	0.07	<2	7.3	4	1	256
Tumbarumba STP Effluent	EPA-P1	1703-0096	27/03/017	28/03/017	15/03/017		<2	0.05	<2	7	<2	2	5
Tumbarumba STP Effluent	EPA-P1	1706-0039	23/06/017	26/06/017	13/06/017	17	21	<0.01	<2	7.2	7	1	<1
Tumbarumba STP Effluent	EPA-P1	1709-0048	26/09/017	27/09/2017	12/09/017	0.4	5	0.06	<2	8	7	3	<1
Tumbarumba STP Effluent	EPA-P1	1712-0072	22/12/2017	21/02/2018	13/12/2017	<0.1	6	0.58	10	7.8	71	1	90

Location	Sample Pt	Sample Number	Test Data Received	Publishing Date	Sample Date	Analysis Results				
Site Map										
Licence Link	<a href="http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=79211&amp;SYSUID=1&amp;LICID=4400">http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=79211&amp;SYSUID=1&amp;LICID=4400</a>									
Licence Number: 4400						Total Nitrogen	Tot.Phosp (asP)	BOD	Sodium Adsorption	Conductivity
Khancoban STP Effluent Samples						Total N	Total P	BOD Result		
						mg/L N	mg/L P	mg/L	uS/cm	uS/cm
<b>Licence Limit -100 percentile</b>						<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
Khancoban STP Effluent	EPA-P1	1612-0065	16/12/016	28/03/017	13/12/016	41	8.77	24	3	628
Khancoban STP Effluent	EPA-P1	1703-0096	27/03/017	28/03/017	15/03/017	54	9.78	21	4	758
Khancoban STP Effluent	EPA-P1	1707-0013	17/07/017	18/07/017	4/07/017	30	5.42	14	2	
Khancoban STP Effluent	EPA-P1	1709-0048	26/09/017	27/09/2017	12/09/017	23	4.15	16	1	

EPL 4400 surrendered May 2017